

WORKSTATION CRANES




Workstation Cranes

Comparison Chart

	UltraLite Series (WF Beam)		HyperLite Series (Enclosed Track)	
	Freestanding Top Runner	Ceiling Mounted Underhung	Freestanding Top Runner	Ceiling Mounted Underhung
Capacity Range	1/4 T - 3 T	1/4 T - 3 T	1/4 T - 2 T	1/4 T - 2 T
Spans	Up to 40'	Up to 40'	Up to 50'	Up to 50'
Heights	Up to 20'	Determined by Mounting Structure	Up to 20'	Determined by Mounting Structure
Motorized Upgrades Available	•	•	-	•
Existing Support Structure Required	-	•	-	•
Pull Force/ Crane Weight	1 lb : 50 lbs	1 lb : 50 lbs	1 lb : 100 lbs	1 lb : 100 lbs


Industry Leading Hook Height

Freestanding systems feature an end truck design that provides the maximum achievable hook height.



Optional Off-Set Columns

Avoid workspace obstacles with custom off-set column configuration.



Easy Bolt-Assembled Package

You don't have to be a crane expert to install your crane. Every crane package includes easy-to-follow instructions including full assembly drawings and owner's manual.

10 Year Warranty


Your workstation crane includes a 10 year warranty for non-wearable parts. The only exception are the wheels included with manual end trucks and manual trolleys.







LIGHTWEIGHT. EFFORTLESS. DURABLE.







"For some things that took two people, we now only need
one person."





Max Capacity	Max Span				
300 Series	HL307	HL310	HL313	HL314	
250 lbs	28'	50'	-	-	
500 lbs	22'	50'	-	-	
1000 lbs	-	24'	32'	38'	
400 Series	HL414	HL416	HL419	HL422	
2000 lbs	26'	28'	36'	36'	
4000 lbs	16'	14'	28'	26'	





VERSATILE. COST-EFFECTIVE. HEAVY-DUTY.





Max Capacity	Max Span				
UL Series	UL08	UL10	UL12	UL14	
500 lbs	30'	35'	40'	1	
1000 lbs	25'	30'	35'	-	
2000 lbs	20'	25'	30'	-	
4000 lbs	15'	20'	25'	30'	
6000 lbs	10'	15'	20'	25'	



"This crane has saved us 10 man hours a week. We have had no issues with this system and it runs every day."

- Derek, Assembly Line Production
















GET A FREE QUOTE

(574) 646-2015 | pwiworks.com